Standardni Model

Tomaž Podobnik

Oddelek za fiziko, FMF, Univerza v Ljubljani

Institut Jožefa Stefana, Ljubljana

Standardni model (SM):

Standardni model (SM):

- osnovni gradniki snovi
- sile med njimi

Standardni model (SM):

- osnovni gradniki snovi
- sile med njimi

Empedoklej (≈ 450 pr.n.š.):

Standardni model (SM):

- osnovni gradniki snovi
- sile med njimi

Empedoklej (≈ 450 pr.n.š.):

- preprost ......

Standardni model (SM):

- osnovni gradniki snovi
- sile med njimi

Empedoklej (≈ 450 pr.n.š.):

- preprost ...... 
- napačen ..... 

Osnovni zahtevi za SM:

- **dobro opiše naravo** (se sklada z eksperimenti)
- **samousklajen** (vpet v matematično teorijo)

SM danes:

	I	II	III
$+\frac{2}{3}q_0$	u	c	t
$-\frac{1}{3}q_0$	d	s	b
0	ν_e	ν_μ	ν_τ
$-q_0$	e	μ	τ

Osnovni gradniki:

- kvarki,
- nabiti leptoni,
- nevtralni leptoni (nevtrini),
- antidelci.

Osnovne sile:

- elektromagnetna,
- močna,
- šibka,
- gravitacija.

$$
\begin{gathered}
\mathcal{L}_{SM} = -\tfrac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \tfrac{1}{4}g_s^2 f^{abc}f^{ade}g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu - \\
M^2 W^+_\mu W^-_\mu - \tfrac{1}{2}\partial_\nu Z^0_\mu \partial_\nu Z^0_\mu - \tfrac{1}{2c_w^2}M^2 Z^0_\mu Z^0_\mu - \tfrac{1}{2}\partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu(W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - Z^0_\nu(W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + Z^0_\mu(W^+_\nu \partial_\nu W^-_\mu - W^-_\nu \partial_\nu W^+_\mu)) - \\
igs_w(\partial_\nu A_\mu(W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu(W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + A_\mu(W^+_\nu \partial_\nu W^-_\mu - \\
W^-_\nu \partial_\nu W^+_\mu)) - \tfrac{1}{2}g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \tfrac{1}{2}g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2 c_w^2(Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu - \\
Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s_w^2(A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w(A_\mu Z^0_\nu(W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - 2A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \tfrac{1}{2}\partial_\mu H \partial_\mu H - 2M^2\alpha_h H^2 - \partial_\mu \phi^+ \partial_\mu \phi^- - \tfrac{1}{2}\partial_\mu \phi^0 \partial_\mu \phi^0 - \\
\beta_h\left(\tfrac{2M^2}{g^2} + \tfrac{2M}{g}H + \tfrac{1}{2}(H^2 + \phi^0\phi^0 + 2\phi^+\phi^-)\right) + \tfrac{2M^4}{g^2}\alpha_h - \\
g\alpha_h M\left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) - \\
\tfrac{1}{8}g^2\alpha_h\left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2H^2\right) - \\
gMW^+_\mu W^-_\mu H - \tfrac{1}{2}g\tfrac{M}{c_w^2}Z^0_\mu Z^0_\mu H - \\
\tfrac{1}{2}ig\left(W^+_\mu(\phi^0\partial_\mu\phi^- - \phi^-\partial_\mu\phi^0) - W^-_\mu(\phi^0\partial_\mu\phi^+ - \phi^+\partial_\mu\phi^0)\right) + \\
\tfrac{1}{2}g\left(W^+_\mu(H\partial_\mu\phi^- - \phi^-\partial_\mu H) + W^-_\mu(H\partial_\mu\phi^+ - \phi^+\partial_\mu H)\right) + \tfrac{1}{2}g\tfrac{1}{c_w}(Z^0_\mu(H\partial_\mu\phi^0 - \phi^0\partial_\mu H) + \\
M\left(\tfrac{1}{c_w}Z^0_\mu\partial_\mu\phi^0 + W^+_\mu\partial_\mu\phi^- + W^-_\mu\partial_\mu\phi^+\right) - ig\tfrac{s_w^2}{c_w}MZ^0_\mu(W^+_\mu\phi^- - W^-_\mu\phi^+) + igs_wMA_\mu(W^+_\mu\phi^- - \\
W^-_\mu\phi^+) - ig\tfrac{1-2c_w^2}{2c_w}Z^0_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) + igs_wA_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) - \\
\tfrac{1}{4}g^2W^+_\mu W^-_\mu\left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \tfrac{1}{8}g^2\tfrac{1}{c_w^2}Z^0_\mu Z^0_\mu\left(H^2 + (\phi^0)^2 + 2(2s_w^2 - 1)^2\phi^+\phi^-\right) - \\
\tfrac{1}{2}g^2\tfrac{s_w^2}{c_w}Z^0_\mu\phi^0(W^+_\mu\phi^- + W^-_\mu\phi^+) - \tfrac{1}{2}ig^2\tfrac{s_w^2}{c_w}Z^0_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) + \tfrac{1}{2}g^2s_wA_\mu\phi^0(W^+_\mu\phi^- + \\
W^-_\mu\phi^+) + \tfrac{1}{2}ig^2s_wA_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) - g^2\tfrac{s_w}{c_w}(2c_w^2 - 1)Z^0_\mu A_\mu\phi^+\phi^- - \\
g^2s_w^2A_\mu A_\mu\phi^+\phi^- + \tfrac{1}{2}ig_s\lambda^a_{ij}(\bar{q}^\sigma_i\gamma^\mu q^\sigma_j)g^a_\mu - \bar{e}^\lambda(\gamma\partial + m_e^\lambda)e^\lambda - \bar{\nu}^\lambda(\gamma\partial + m_\nu^\lambda)\nu^\lambda - \bar{u}^\lambda_j(\gamma\partial + \\
m_u^\lambda)u_j^\lambda - \bar{d}^\lambda_j(\gamma\partial + m_d^\lambda)d_j^\lambda + igs_wA_\mu\left(-(\bar{e}^\lambda\gamma^\mu e^\lambda) + \tfrac{2}{3}(\bar{u}^\lambda_j\gamma^\mu u^\lambda_j) - \tfrac{1}{3}(\bar{d}^\lambda_j\gamma^\mu d^\lambda_j)\right) + \\
\tfrac{ig}{4c_w}Z^0_\mu\{(\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{e}^\lambda\gamma^\mu(4s_w^2 - 1 - \gamma^5)e^\lambda) + (\bar{d}^\lambda_j\gamma^\mu(\tfrac{4}{3}s_w^2 - 1 - \gamma^5)d^\lambda_j) + \\
(\bar{u}^\lambda_j\gamma^\mu(1 - \tfrac{8}{3}s_w^2 + \gamma^5)u^\lambda_j)\} + \tfrac{ig}{2\sqrt{2}}W^+_\mu\left((\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)U^{lep}{}_{\lambda\kappa}e^\kappa) + (\bar{u}^\lambda_j\gamma^\mu(1+\gamma^5)C_{\lambda\kappa}d^\kappa_j)\right) + \\
\tfrac{ig}{2\sqrt{2}}W^-_\mu\left((\bar{e}^\kappa U^{lep\dagger}{}_{\kappa\lambda}\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{d}^\kappa_j C^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)u^\lambda_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m_e^\kappa(\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa}(1-\gamma^5)e^\kappa) + m_\nu^\lambda(\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa}(1+\gamma^5)e^\kappa)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m_e^\lambda(\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1+\gamma^5)\nu^\kappa) - m_\nu^\kappa(\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1-\gamma^5)\nu^\kappa)\right) - \tfrac{g}{2}\tfrac{m_\nu^\lambda}{M}H(\bar{\nu}^\lambda\nu^\lambda) - \\
\tfrac{g}{2}\tfrac{m_e^\lambda}{M}H(\bar{e}^\lambda e^\lambda) + \tfrac{ig}{2}\tfrac{m_\nu^\lambda}{M}\phi^0(\bar{\nu}^\lambda\gamma^5\nu^\lambda) - \tfrac{ig}{2}\tfrac{m_e^\lambda}{M}\phi^0(\bar{e}^\lambda\gamma^5 e^\lambda) - \tfrac{1}{4}\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa - \\
\tfrac{1}{4}\overline{\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa} + \tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m_d^\kappa(\bar{u}^\lambda_j C_{\lambda\kappa}(1-\gamma^5)d^\kappa_j) + m_u^\lambda(\bar{u}^\lambda_j C_{\lambda\kappa}(1+\gamma^5)d^\kappa_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m_d^\lambda(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1+\gamma^5)u^\kappa_j) - m_u^\kappa(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1-\gamma^5)u^\kappa_j)\right) - \tfrac{g}{2}\tfrac{m_u^\lambda}{M}H(\bar{u}^\lambda_j u^\lambda_j) - \\
\tfrac{g}{2}\tfrac{m_d^\lambda}{M}H(\bar{d}^\lambda_j d^\lambda_j) + \tfrac{ig}{2}\tfrac{m_u^\lambda}{M}\phi^0(\bar{u}^\lambda_j\gamma^5 u^\lambda_j) - \tfrac{ig}{2}\tfrac{m_d^\lambda}{M}\phi^0(\bar{d}^\lambda_j\gamma^5 d^\lambda_j) + \bar{G}^a\partial^2 G^a + g_s f^{abc}\partial_\mu\bar{G}^a G^b g^c_\mu + \\
\bar{X}^+(\partial^2 - M^2)X^+ + \bar{X}^-(\partial^2 - M^2)X^- + \bar{X}^0(\partial^2 - \tfrac{M^2}{c_w^2})X^0 + \bar{Y}\partial^2 Y + igc_wW^+_\mu(\partial_\mu\bar{X}^0X^- - \\
\partial_\mu\bar{X}^+X^0) + igs_wW^+_\mu(\partial_\mu\bar{Y}X^- - \partial_\mu\bar{X}^+Y) + igc_wW^-_\mu(\partial_\mu\bar{X}^-X^0 - \\
\partial_\mu\bar{X}^0X^+) + igs_wW^-_\mu(\partial_\mu\bar{X}^-Y - \partial_\mu\bar{Y}X^+) + igc_wZ^0_\mu(\partial_\mu\bar{X}^+X^+ - \\
\partial_\mu\bar{X}^-X^-) + igs_wA_\mu(\partial_\mu\bar{X}^+X^+ - \\
\partial_\mu\bar{X}^-X^-) - \tfrac{1}{2}gM\left(\bar{X}^+X^+H + \bar{X}^-X^-H + \tfrac{1}{c_w^2}\bar{X}^0X^0H\right) + \tfrac{1-2c_w^2}{2c_w}igM\left(\bar{X}^+X^0\phi^+ - \bar{X}^-X^0\phi^-\right) + \\
\tfrac{1}{2c_w}igM\left(\bar{X}^0X^-\phi^+ - \bar{X}^0X^+\phi^-\right) + igMs_w\left(\bar{X}^0X^-\phi^+ - \bar{X}^0X^+\phi^-\right) + \\
\tfrac{1}{2}igM\left(\bar{X}^+X^+\phi^0 - \bar{X}^-X^-\phi^0\right).
\end{gathered}
$$

- pravilen....... 

$$\mathcal{L}_{SM} = -\frac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \frac{1}{4}g_s^2 f^{abc}f^{ade}g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu -$$
$$M^2 W^+_\mu W^-_\mu - \frac{1}{2}\partial_\nu Z^0_\mu\partial_\nu Z^0_\mu - \frac{1}{2c_w^2}M^2 Z^0_\mu Z^0_\mu - \frac12 \partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu(W^+_\mu W^-_\nu -$$
$$W^+_\nu W^-_\mu) - Z^0_\nu(W^+_\mu\partial_\nu W^-_\mu - W^-_\mu\partial_\nu W^+_\mu) + Z^0_\mu(W^+_\nu\partial_\nu W^-_\mu - W^-_\nu\partial_\nu W^+_\mu)) -$$
$$igs_w(\partial_\nu A_\mu(W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu(W^+_\mu \partial_\nu W^-_\mu - W^-_\mu\partial_\nu W^+_\mu) + A_\mu(W^+_\nu\partial_\nu W^-_\mu -$$
$$W^-_\nu\partial_\nu W^+_\mu)) - \frac12 g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \frac12 g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2c_w^2(Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu -$$
$$Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s_w^2(A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w(A_\mu Z^0_\nu(W^+_\mu W^-_\nu -$$
$$W^+_\nu W^-_\mu) - 2A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \frac12\partial_\mu H\partial_\mu H - 2M^2\alpha_h H^2 - \partial_\mu\phi^+\partial_\mu\phi^- - \frac12\partial_\mu\phi^0\partial_\mu\phi^0 -$$
$$\beta_h\left(\frac{2M^2}{g^2} + \frac{2M}{g}H + \frac12(H^2+\phi^0\phi^0+2\phi^+\phi^-)\right) + \frac{2M^4}{g^2}\alpha_h -$$
$$g\alpha_h M\left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) -$$
$$\frac18 g^2\alpha_h\left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2H^2\right) -$$
$$gMW^+_\mu W^-_\mu H - \frac12 g\frac{M}{c_w^2}Z^0_\mu Z^0_\mu H -$$
$$\frac12 ig\left(W^+_\mu(\phi^0\partial_\mu\phi^- - \phi^-\partial_\mu\phi^0) - W^-_\mu(\phi^0\partial_\mu\phi^+ - \phi^+\partial_\mu\phi^0)\right) +$$
$$\frac12 g\left(W^+_\mu(H\partial_\mu\phi^- - \phi^-\partial_\mu H) + W^-_\mu(H\partial_\mu\phi^+ - \phi^+\partial_\mu H)\right) + \frac12 g\frac{1}{c_w}(Z^0_\mu(H\partial_\mu\phi^0 - \phi^0\partial_\mu H) +$$
$$M\left(\frac{1}{c_w}Z^0_\mu\partial_\mu\phi^0 + W^+_\mu\partial_\mu\phi^- + W^-_\mu\partial_\mu\phi^+\right) - ig\frac{s_w^2}{c_w}MZ^0_\mu(W^+_\mu\phi^- - W^-_\mu\phi^+) + igs_wMA_\mu(W^+_\mu\phi^- -$$
$$W^-_\mu\phi^+) - ig\frac{1-2c_w^2}{2c_w}Z^0_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) + igs_wA_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) -$$
$$\frac14 g^2W^+_\mu W^-_\mu\left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \frac18 g^2\frac{1}{c_w^2}Z^0_\mu Z^0_\mu\left(H^2 + (\phi^0)^2 + 2(2s_w^2-1)^2\phi^+\phi^-\right) -$$
$$\frac12 g^2\frac{s_w^2}{c_w}Z^0_\mu\phi^0(W^+_\mu\phi^- + W^-_\mu\phi^+) - \frac12 ig^2\frac{s_w^2}{c_w}Z^0_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) + \frac12 g^2 s_w A_\mu\phi^0(W^+_\mu\phi^- +$$
$$W^-_\mu\phi^+) + \frac12 ig^2 s_w A_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) - g^2\frac{s_w}{c_w}(2c_w^2-1)Z^0_\mu A_\mu\phi^+\phi^- -$$
$$g^2 s_w^2 A_\mu A_\mu\phi^+\phi^- + \frac12 ig_s\lambda^a_{ij}(\bar q^\sigma_i\gamma^\mu q^\sigma_j)g^a_\mu - \bar e^\lambda(\gamma\partial + m^\lambda_e)e^\lambda - \bar\nu^\lambda(\gamma\partial + m^\lambda_\nu)\nu^\lambda - \bar u^\lambda_j(\gamma\partial +$$
$$m^\lambda_u)u^\lambda_j - \bar d^\lambda_j(\gamma\partial + m^\lambda_d)d^\lambda_j + igs_wA_\mu\left(-(\bar e^\lambda\gamma^\mu e^\lambda) + \frac23(\bar u^\lambda_j\gamma^\mu u^\lambda_j) - \frac13(\bar d^\lambda_j\gamma^\mu d^\lambda_j)\right) +$$
$$\frac{ig}{4c_w}Z^0_\mu\{(\bar\nu^\lambda\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar e^\lambda\gamma^\mu(4s_w^2-1-\gamma^5)e^\lambda) + (\bar d^\lambda_j\gamma^\mu(\tfrac43 s_w^2 - 1 - \gamma^5)d^\lambda_j) +$$
$$(\bar u^\lambda_j\gamma^\mu(1-\tfrac83 s_w^2+\gamma^5)u^\lambda_j)\} + \frac{ig}{2\sqrt2}W^+_\mu\left((\bar\nu^\lambda\gamma^\mu(1+\gamma^5)U^{lep}{}_{\lambda\kappa}e^\kappa) + (\bar u^\lambda_j\gamma^\mu(1+\gamma^5)C_{\lambda\kappa}d^\kappa_j)\right) +$$
$$\frac{ig}{2\sqrt2}W^-_\mu\left((\bar e^\kappa U^{lep\dagger}{}_{\kappa\lambda}\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar d^\kappa_j C^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)u^\lambda_j)\right) +$$
$$\frac{ig}{2M\sqrt2}\phi^+\left(-m^\kappa_e(\bar\nu^\lambda U^{lep}{}_{\lambda\kappa}(1-\gamma^5)e^\kappa) + m^\lambda_\nu(\bar\nu^\lambda U^{lep}{}_{\lambda\kappa}(1+\gamma^5)e^\kappa)\right) +$$
$$\frac{ig}{2M\sqrt2}\phi^-\left(m^\lambda_e(\bar e^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1+\gamma^5)\nu^\kappa) - m^\kappa_\nu(\bar e^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1-\gamma^5)\nu^\kappa)\right) - \frac{g}{2}\frac{m^\lambda_\nu}{M}H(\bar\nu^\lambda\nu^\lambda) -$$
$$\frac g2\frac{m^\lambda_e}{M}H(\bar e^\lambda e^\lambda) + \frac{ig}{2}\frac{m^\lambda_\nu}{M}\phi^0(\bar\nu^\lambda\gamma^5\nu^\lambda) - \frac{ig}{2}\frac{m^\lambda_e}{M}\phi^0(\bar e^\lambda\gamma^5e^\lambda) - \frac14\bar\nu_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat\nu_\kappa -$$
$$\frac14\overline{\bar\nu_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat\nu_\kappa} + \frac{ig}{2M\sqrt2}\phi^+\left(-m^\kappa_d(\bar u^\lambda_j C_{\lambda\kappa}(1-\gamma^5)d^\kappa_j) + m^\lambda_u(\bar u^\lambda_j C_{\lambda\kappa}(1+\gamma^5)d^\kappa_j)\right) +$$
$$\frac{ig}{2M\sqrt2}\phi^-\left(m^\lambda_d(\bar d^\lambda_j C^\dagger_{\lambda\kappa}(1+\gamma^5)u^\kappa_j) - m^\kappa_u(\bar d^\lambda_j C^\dagger_{\lambda\kappa}(1-\gamma^5)u^\kappa_j)\right) - \frac g2\frac{m^\lambda_u}{M}H(\bar u^\lambda_j u^\lambda_j) -$$
$$\frac g2\frac{m^\lambda_d}{M}H(\bar d^\lambda_j d^\lambda_j) + \frac{ig}{2}\frac{m^\lambda_u}{M}\phi^0(\bar u^\lambda_j\gamma^5u^\lambda_j) - \frac{ig}{2}\frac{m^\lambda_d}{M}\phi^0(\bar d^\lambda_j\gamma^5 d^\lambda_j) + \bar G^a\partial^2G^a + g_sf^{abc}\partial_\mu\bar G^aG^bg^c_\mu +$$
$$\bar X^+(\partial^2-M^2)X^+ + \bar X^-(\partial^2-M^2)X^- + \bar X^0\left(\partial^2 - \frac{M^2}{c_w^2}\right)X^0 + \bar Y\partial^2Y + igc_wW^+_\mu(\partial_\mu\bar X^0X^- -$$
$$\partial_\mu\bar X^+X^0) + igs_wW^+_\mu(\partial_\mu\bar YX^- - \partial_\mu\bar X^+Y) + igc_wW^-_\mu(\partial_\mu\bar X^-X^0 -$$
$$\partial_\mu\bar X^0X^+) + igs_wW^-_\mu(\partial_\mu\bar X^-Y - \partial_\mu\bar YX^+) + igc_wZ^0_\mu(\partial_\mu\bar X^+X^+ -$$
$$\partial_\mu\bar X^-X^-) + igs_wA_\mu(\partial_\mu\bar X^+X^+ -$$
$$\partial_\mu\bar X^-X^-) - \frac12 gM\left(\bar X^+X^+H + \bar X^-X^-H + \frac{1}{c_w^2}\bar X^0X^0H\right) + \frac{1-2c_w^2}{2c_w}igM\left(\bar X^+X^0\phi^+ - \bar X^-X^0\phi^-\right) +$$
$$\frac{1}{2c_w}igM\left(\bar X^0X^-\phi^+ - \bar X^0X^+\phi^-\right) + igMs_w\left(\bar X^0X^-\phi^+ - \bar X^0X^+\phi^-\right) +$$
$$\frac12 igM\left(\bar X^+X^+\phi^0 - \bar X^-X^-\phi^0\right).$$

Primer: magnetni moment e⁻

$$\mu_e = \frac{g_e}{2}\mu_B; \quad \mu_B = \frac{q_0\hbar}{2m_e} = 9{,}274009994 \cdot 10^{-24}\, Am^2$$

Primer: magnetni moment e^-

$$\mu_e = \frac{g_e}{2}\mu_B; \quad \mu_B = \frac{q_0\hbar}{2m_e} = 9{,}274009994 \cdot 10^{-24}\, Am^2$$

$$g_e^{(eksp)} = -2{,}002.319.304.361.52 \quad \pm 0{,}000.000.000.000.54$$

Stern, Gerlach

Primer: magnetni moment e^-

$$\mu_e = \frac{g_e}{2}\mu_B; \quad \mu_B = \frac{q_0\hbar}{2m_e} = 9{,}274009994 \cdot 10^{-24}\, Am^2$$

$$g_e^{(eksp)} = -2{,}002.319.304.361.52 \pm 0{,}000.000.000.000.54$$

$$g_e^{(teor)} = -2{,}002.319.304.363.286 \pm 0{,}000.000.000.001.528$$

Primer: magnetni moment e^-

$$\mu_e = \frac{g_e}{2}\mu_B; \quad \mu_B = \frac{q_0\hbar}{2m_e} = 9{,}274009994 \cdot 10^{-24}\,Am^2$$

$$g_e^{(eksp)} = -2{,}002.319.304.361.52 \pm 0{,}000.000.000.000.54$$

$$g_e^{(teor)} = -2{,}002.319.304.363.286 \pm 0{,}000.000.000.001.528$$

$$g_e^{(eksp)} - g_e^{(teor)} = 0{,}000.000.000.001.766 \pm 0{,}000.000.000.001.621$$

- pravilen....... 

$$
\begin{aligned}
\mathcal{L}_{SM} = & -\tfrac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \tfrac{1}{4}g_s^2 f^{abc} f^{ade} g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu - \\
& M^2 W^+_\mu W^-_\mu - \tfrac{1}{2}\partial_\nu Z^0_\mu \partial_\nu Z^0_\mu - \tfrac{1}{2c_w^2} M^2 Z^0_\mu Z^0_\mu - \tfrac{1}{2}\partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu (W^+_\mu W^-_\nu - \\
& W^+_\nu W^-_\mu) - Z^0_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + Z^0_\mu (W^+_\nu \partial_\nu W^-_\mu - W^-_\nu \partial_\nu W^+_\mu)) - \\
& igs_w(\partial_\nu A_\mu (W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + A_\mu (W^+_\nu \partial_\nu W^-_\mu - \\
& W^-_\nu \partial_\nu W^+_\mu)) - \tfrac{1}{2}g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \tfrac{1}{2}g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2 c_w^2 (Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu - \\
& Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s_w^2 (A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w (A_\mu Z^0_\nu (W^+_\mu W^-_\nu - \\
& W^+_\nu W^-_\mu) - 2A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \tfrac{1}{2}\partial_\mu H \partial_\mu H - 2M^2\alpha_h H^2 - \partial_\mu \phi^+ \partial_\mu \phi^- - \tfrac{1}{2}\partial_\mu \phi^0 \partial_\mu \phi^0 - \\
& \beta_h \left(\tfrac{2M^2}{g^2} + \tfrac{2M}{g}H + \tfrac{1}{2}(H^2 + \phi^0\phi^0 + 2\phi^+\phi^-)\right) + \tfrac{2M^4}{g^2}\alpha_h - \\
& g\alpha_h M \left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) - \\
& \tfrac{1}{8}g^2\alpha_h \left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2H^2\right) - \\
& gMW^+_\mu W^-_\mu H - \tfrac{1}{2}g\tfrac{M}{c_w^2} Z^0_\mu Z^0_\mu H - \\
& \tfrac{1}{2}ig\left(W^+_\mu(\phi^0\partial_\mu\phi^- - \phi^-\partial_\mu\phi^0) - W^-_\mu(\phi^0\partial_\mu\phi^+ - \phi^+\partial_\mu\phi^0)\right) + \\
& \tfrac{1}{2}g\left(W^+_\mu(H\partial_\mu\phi^- - \phi^-\partial_\mu H) + W^-_\mu(H\partial_\mu\phi^+ - \phi^+\partial_\mu H)\right) + \tfrac{1}{2}g\tfrac{1}{c_w}(Z^0_\mu(H\partial_\mu\phi^0 - \phi^0\partial_\mu H) + \\
& M\left(\tfrac{1}{c_w}Z^0_\mu\partial_\mu\phi^0 + W^+_\mu\partial_\mu\phi^- + W^-_\mu\partial_\mu\phi^+\right) - ig\tfrac{s_w^2}{c_w}MZ^0_\mu(W^+_\mu\phi^- - W^-_\mu\phi^+) + igs_w MA_\mu(W^+_\mu\phi^- - \\
& W^-_\mu\phi^+) - ig\tfrac{1-2c_w^2}{2c_w}Z^0_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) + igs_w A_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) - \\
& \tfrac{1}{4}g^2 W^+_\mu W^-_\mu \left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \tfrac{1}{8}g^2\tfrac{1}{c_w^2}Z^0_\mu Z^0_\mu\left(H^2 + (\phi^0)^2 + 2(2s_w^2-1)^2\phi^+\phi^-\right) - \\
& \tfrac{1}{2}g^2\tfrac{s_w^2}{c_w}Z^0_\mu\phi^0(W^+_\mu\phi^- + W^-_\mu\phi^+) - \tfrac{1}{2}ig^2\tfrac{s_w^2}{c_w}Z^0_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) + \tfrac{1}{2}g^2 s_w A_\mu\phi^0(W^+_\mu\phi^- + \\
& W^-_\mu\phi^+) + \tfrac{1}{2}ig^2 s_w A_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) - g^2\tfrac{s_w}{c_w}(2c_w^2-1)Z^0_\mu A_\mu\phi^+\phi^- - \\
& g^2 s_w^2 A_\mu A_\mu\phi^+\phi^- + \tfrac{1}{2}ig_s\,\lambda^a_{ij}(\bar{q}^\sigma_i\gamma^\mu q^\sigma_j)g^a_\mu - \bar{e}^\lambda(\gamma\partial + m_e^\lambda)e^\lambda - \bar{\nu}^\lambda(\gamma\partial + m_\nu^\lambda)\nu^\lambda - \bar{u}^\lambda_j(\gamma\partial + \\
& m_u^\lambda)u^\lambda_j - \bar{d}^\lambda_j(\gamma\partial + m_d^\lambda)d^\lambda_j + igs_w A_\mu\left(-(\bar{e}^\lambda\gamma^\mu e^\lambda) + \tfrac{2}{3}(\bar{u}^\lambda_j\gamma^\mu u^\lambda_j) - \tfrac{1}{3}(\bar{d}^\lambda_j\gamma^\mu d^\lambda_j)\right) + \\
& \tfrac{ig}{4c_w}Z^0_\mu\{(\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{e}^\lambda\gamma^\mu(4s_w^2 - 1 - \gamma^5)e^\lambda) + (\bar{d}^\lambda_j\gamma^\mu(\tfrac{4}{3}s_w^2 - 1 - \gamma^5)d^\lambda_j) + \\
& (\bar{u}^\lambda_j\gamma^\mu(1 - \tfrac{8}{3}s_w^2 + \gamma^5)u^\lambda_j)\} + \tfrac{ig}{2\sqrt{2}}W^+_\mu\left((\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)U^{lep}{}_{\lambda\kappa}e^\kappa) + (\bar{u}^\lambda_j\gamma^\mu(1+\gamma^5)C_{\lambda\kappa}d^\kappa_j)\right) + \\
& \tfrac{ig}{2\sqrt{2}}W^-_\mu\left((\bar{e}^\kappa U^{lep\dagger}{}_{\kappa\lambda}\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{d}^\kappa_j C^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)u^\lambda_j)\right) + \\
& \tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m_e^\kappa(\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa}(1-\gamma^5)e^\kappa) + m_\nu^\lambda(\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa}(1+\gamma^5)e^\kappa)\right) + \\
& \tfrac{ig}{2M\sqrt{2}}\phi^-\left(m_e^\lambda(\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1+\gamma^5)\nu^\kappa) - m_\nu^\kappa(\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1-\gamma^5)\nu^\kappa)\right) - \tfrac{g}{2}\tfrac{m_\nu^\lambda}{M}H(\bar{\nu}^\lambda\nu^\lambda) - \\
& \tfrac{g}{2}\tfrac{m_e^\lambda}{M}H(\bar{e}^\lambda e^\lambda) + \tfrac{ig}{2}\tfrac{m_\nu^\lambda}{M}\phi^0(\bar{\nu}^\lambda\gamma^5\nu^\lambda) - \tfrac{ig}{2}\tfrac{m_e^\lambda}{M}\phi^0(\bar{e}^\lambda\gamma^5 e^\lambda) - \tfrac{1}{4}\,\bar{\nu}_\lambda\,M^R_{\lambda\kappa}\,(1-\gamma_5)\hat{\nu}_\kappa - \\
& \tfrac{1}{4}\,\bar{\nu}_\lambda\,M^R_{\lambda\kappa}\,(1-\gamma_5)\hat{\nu}_\kappa + \tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m_d^\kappa(\bar{u}^\lambda_j C_{\lambda\kappa}(1-\gamma^5)d^\kappa_j) + m_u^\lambda(\bar{u}^\lambda_j C_{\lambda\kappa}(1+\gamma^5)d^\kappa_j)\right) + \\
& \tfrac{ig}{2M\sqrt{2}}\phi^-\left(m_d^\lambda(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1+\gamma^5)u^\kappa_j) - m_u^\kappa(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1-\gamma^5)u^\kappa_j)\right) - \tfrac{g}{2}\tfrac{m_u^\lambda}{M}H(\bar{u}^\lambda_j u^\lambda_j) - \\
& \tfrac{g}{2}\tfrac{m_d^\lambda}{M}H(\bar{d}^\lambda_j d^\lambda_j) + \tfrac{ig}{2}\tfrac{m_u^\lambda}{M}\phi^0(\bar{u}^\lambda_j\gamma^5 u^\lambda_j) - \tfrac{ig}{2}\tfrac{m_d^\lambda}{M}\phi^0(\bar{d}^\lambda_j\gamma^5 d^\lambda_j) + \bar{G}^a\partial^2 G^a + g_s f^{abc}\partial_\mu\bar{G}^a G^b g^c_\mu + \\
& \bar{X}^+(\partial^2 - M^2)X^+ + \bar{X}^-(\partial^2 - M^2)X^- + \bar{X}^0(\partial^2 - \tfrac{M^2}{c_w^2})X^0 + \bar{Y}\partial^2 Y + igc_w W^+_\mu(\partial_\mu\bar{X}^0 X^- - \\
& \partial_\mu\bar{X}^+ X^0) + igs_w W^+_\mu(\partial_\mu\bar{Y}X^- - \partial_\mu\bar{X}^+ Y) + igc_w W^-_\mu(\partial_\mu\bar{X}^- X^0 - \\
& \partial_\mu\bar{X}^0 X^+) + igs_w W^-_\mu(\partial_\mu\bar{X}^- Y - \partial_\mu\bar{Y}X^+) + igc_w Z^0_\mu(\partial_\mu\bar{X}^+ X^+ - \\
& \partial_\mu\bar{X}^- X^-) + igs_w A_\mu(\partial_\mu\bar{X}^+ X^+ - \\
& \partial_\mu\bar{X}^- X^-) - \tfrac{1}{2}gM\left(\bar{X}^+ X^+ H + \bar{X}^- X^- H + \tfrac{1}{c_w^2}\bar{X}^0 X^0 H\right) + \tfrac{1-2c_w^2}{2c_w}igM\left(\bar{X}^+ X^0\phi^+ - \bar{X}^- X^0\phi^-\right) + \\
& \tfrac{1}{2c_w}igM\left(\bar{X}^0 X^-\phi^+ - \bar{X}^0 X^+\phi^-\right) + igMs_w\left(\bar{X}^0 X^-\phi^+ - \bar{X}^0 X^+\phi^-\right) + \\
& \tfrac{1}{2}igM\left(\bar{X}^+ X^+\phi^0 - \bar{X}^- X^-\phi^0\right).
\end{aligned}
$$

- pravilen....... 
- zapleten...... 

$$
\begin{gathered}
\mathcal{L}_{SM} = -\tfrac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \tfrac{1}{4}g_s^2 f^{abc} f^{ade} g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu - \\
M^2 W^+_\mu W^-_\mu - \tfrac{1}{2}\partial_\nu Z^0_\mu \partial_\nu Z^0_\mu - \tfrac{1}{2c_w^2} M^2 Z^0_\mu Z^0_\mu - \tfrac{1}{2}\partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - Z^0_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + Z^0_\mu (W^+_\nu \partial_\nu W^-_\mu - W^-_\nu \partial_\nu W^+_\mu)) - \\
igs_w(\partial_\nu A_\mu (W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + A_\mu (W^+_\nu \partial_\nu W^-_\mu - \\
W^-_\nu \partial_\nu W^+_\mu)) - \tfrac{1}{2}g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \tfrac{1}{2}g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2 c_w^2 (Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu - \\
Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s_w^2 (A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w (A_\mu Z^0_\nu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - 2A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \tfrac{1}{2}\partial_\mu H \partial_\mu H - 2M^2\alpha_h H^2 - \partial_\mu \phi^+ \partial_\mu \phi^- - \tfrac{1}{2}\partial_\mu \phi^0 \partial_\mu \phi^0 - \\
\beta_h \left(\tfrac{2M^2}{g^2} + \tfrac{2M}{g}H + \tfrac{1}{2}(H^2 + \phi^0\phi^0 + 2\phi^+\phi^-)\right) + \tfrac{2M^4}{g^2}\alpha_h - \\
g\alpha_h M\left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) - \\
\tfrac{1}{8}g^2\alpha_h\left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2H^2\right) - \\
gMW^+_\mu W^-_\mu H - \tfrac{1}{2}g\tfrac{M}{c_w^2}Z^0_\mu Z^0_\mu H - \\
\tfrac{1}{2}ig\left(W^+_\mu(\phi^0\partial_\mu\phi^- - \phi^-\partial_\mu\phi^0) - W^-_\mu(\phi^0\partial_\mu\phi^+ - \phi^+\partial_\mu\phi^0)\right) + \\
\tfrac{1}{2}g\left(W^+_\mu(H\partial_\mu\phi^- - \phi^-\partial_\mu H) + W^-_\mu(H\partial_\mu\phi^+ - \phi^+\partial_\mu H)\right) + \tfrac{1}{2}g\tfrac{1}{c_w}(Z^0_\mu(H\partial_\mu\phi^0 - \phi^0\partial_\mu H) + \\
M\left(\tfrac{1}{c_w}Z^0_\mu\partial_\mu\phi^0 + W^+_\mu\partial_\mu\phi^- + W^-_\mu\partial_\mu\phi^+\right) - ig\tfrac{s_w^2}{c_w}MZ^0_\mu(W^+_\mu\phi^- - W^-_\mu\phi^+) + igs_w MA_\mu(W^+_\mu\phi^- - \\
W^-_\mu\phi^+) - ig\tfrac{1-2c_w^2}{2c_w}Z^0_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) + igs_w A_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) - \\
\tfrac{1}{4}g^2 W^+_\mu W^-_\mu\left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \tfrac{1}{8}g^2\tfrac{1}{c_w^2}Z^0_\mu Z^0_\mu\left(H^2 + (\phi^0)^2 + 2(2s_w^2 - 1)^2\phi^+\phi^-\right) - \\
\tfrac{1}{2}g^2\tfrac{s_w^2}{c_w}Z^0_\mu\phi^0(W^+_\mu\phi^- + W^-_\mu\phi^+) - \tfrac{1}{2}ig^2\tfrac{s_w^2}{c_w}Z^0_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) + \tfrac{1}{2}g^2 s_w A_\mu\phi^0(W^+_\mu\phi^- + \\
W^-_\mu\phi^+) + \tfrac{1}{2}ig^2 s_w A_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) - g^2\tfrac{s_w}{c_w}(2c_w^2 - 1)Z^0_\mu A_\mu\phi^+\phi^- - \\
g^2 s_w^2 A_\mu A_\mu\phi^+\phi^- + \tfrac{1}{2}ig_s\lambda^a_{ij}(\bar{q}^\sigma_i\gamma^\mu q^\sigma_j)g^a_\mu - \bar{e}^\lambda(\gamma\partial + m^\lambda_e)e^\lambda - \bar{\nu}^\lambda(\gamma\partial + m^\lambda_\nu)\nu^\lambda - \bar{u}^\lambda_j(\gamma\partial + \\
m^\lambda_u)u^\lambda_j - \bar{d}^\lambda_j(\gamma\partial + m^\lambda_d)d^\lambda_j + igs_w A_\mu\left(-(\bar{e}^\lambda\gamma^\mu e^\lambda) + \tfrac{2}{3}(\bar{u}^\lambda_j\gamma^\mu u^\lambda_j) - \tfrac{1}{3}(\bar{d}^\lambda_j\gamma^\mu d^\lambda_j)\right) + \\
\tfrac{ig}{4c_w}Z^0_\mu\{(\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{e}^\lambda\gamma^\mu(4s_w^2 - 1 - \gamma^5)e^\lambda) + (\bar{d}^\lambda_j\gamma^\mu(\tfrac{4}{3}s_w^2 - 1 - \gamma^5)d^\lambda_j) + \\
(\bar{u}^\lambda_j\gamma^\mu(1 - \tfrac{8}{3}s_w^2 + \gamma^5)u^\lambda_j)\} + \tfrac{ig}{2\sqrt{2}}W^+_\mu\left((\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5){U^{lep}}_{\lambda\kappa}e^\kappa) + (\bar{u}^\lambda_j\gamma^\mu(1+\gamma^5)C_{\lambda\kappa}d^\kappa_j)\right) + \\
\tfrac{ig}{2\sqrt{2}}W^-_\mu\left((\bar{e}^\kappa {U^{lep}}^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{d}^\kappa_j C^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)u^\lambda_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m^\kappa_e(\bar{\nu}^\lambda {U^{lep}}_{\lambda\kappa}(1-\gamma^5)e^\kappa) + m^\lambda_\nu(\bar{\nu}^\lambda {U^{lep}}_{\lambda\kappa}(1+\gamma^5)e^\kappa)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m^\lambda_e(\bar{e}^\lambda {U^{lep}}^\dagger_{\lambda\kappa}(1+\gamma^5)\nu^\kappa) - m^\kappa_\nu(\bar{e}^\lambda {U^{lep}}^\dagger_{\lambda\kappa}(1-\gamma^5)\nu^\kappa)\right) - \tfrac{g}{2}\tfrac{m^\lambda_\nu}{M}H(\bar{\nu}^\lambda\nu^\lambda) - \\
\tfrac{g}{2}\tfrac{m^\lambda_e}{M}H(\bar{e}^\lambda e^\lambda) + \tfrac{ig}{2}\tfrac{m^\lambda_\nu}{M}\phi^0(\bar{\nu}^\lambda\gamma^5\nu^\lambda) - \tfrac{ig}{2}\tfrac{m^\lambda_e}{M}\phi^0(\bar{e}^\lambda\gamma^5 e^\lambda) - \tfrac{1}{4}\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa - \\
\tfrac{1}{4}\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa + \tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m^\kappa_d(\bar{u}^\lambda_j C_{\lambda\kappa}(1-\gamma^5)d^\kappa_j) + m^\lambda_u(\bar{u}^\lambda_j C_{\lambda\kappa}(1+\gamma^5)d^\kappa_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m^\lambda_d(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1+\gamma^5)u^\kappa_j) - m^\kappa_u(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1-\gamma^5)u^\kappa_j)\right) - \tfrac{g}{2}\tfrac{m^\lambda_u}{M}H(\bar{u}^\lambda_j u^\lambda_j) - \\
\tfrac{g}{2}\tfrac{m^\lambda_d}{M}H(\bar{d}^\lambda_j d^\lambda_j) + \tfrac{ig}{2}\tfrac{m^\lambda_u}{M}\phi^0(\bar{u}^\lambda_j\gamma^5 u^\lambda_j) - \tfrac{ig}{2}\tfrac{m^\lambda_d}{M}\phi^0(\bar{d}^\lambda_j\gamma^5 d^\lambda_j) + \bar{G}^a\partial^2 G^a + g_s f^{abc}\partial_\mu\bar{G}^a G^b g^c_\mu + \\
\bar{X}^+(\partial^2 - M^2)X^+ + \bar{X}^-(\partial^2 - M^2)X^- + \bar{X}^0(\partial^2 - \tfrac{M^2}{c_w^2})X^0 + \bar{Y}\partial^2 Y + igc_w W^+_\mu(\partial_\mu\bar{X}^0 X^- - \\
\partial_\mu\bar{X}^+ X^0) + igs_w W^+_\mu(\partial_\mu\bar{Y}X^- - \partial_\mu\bar{X}^+ Y) + igc_w W^-_\mu(\partial_\mu\bar{X}^- X^0 - \\
\partial_\mu\bar{X}^0 X^+) + igs_w W^-_\mu(\partial_\mu\bar{X}^- Y - \partial_\mu\bar{Y}X^+) + igc_w Z^0_\mu(\partial_\mu\bar{X}^+ X^+ - \\
\partial_\mu\bar{X}^- X^-) + igs_w A_\mu(\partial_\mu\bar{X}^+ X^+ - \\
\partial_\mu\bar{X}^- X^-) - \tfrac{1}{2}gM\left(\bar{X}^+X^+H + \bar{X}^-X^-H + \tfrac{1}{c_w^2}\bar{X}^0X^0H\right) + \tfrac{1-2c_w^2}{2c_w}igM\left(\bar{X}^+X^0\phi^+ - \bar{X}^-X^0\phi^-\right) + \\
\tfrac{1}{2c_w}igM\left(\bar{X}^0X^-\phi^+ - \bar{X}^0X^+\phi^-\right) + igMs_w\left(\bar{X}^0X^-\phi^+ - \bar{X}^0X^+\phi^-\right) + \\
\tfrac{1}{2}igM\left(\bar{X}^+X^+\phi^0 - \bar{X}^-X^-\phi^0\right).
\end{gathered}
$$

Narava v nadstropjih:

- v različnih nadstropjih veljajo različni zakoni



Guliver v deželi Liliputancev:

- Guliver laže

Energija s hrano:

$E_+ \propto m = \rho \cdot V \propto r^3$

Oddana toplota:

$Q_- \propto S \propto r^2$

Razmerje:

$E_+/Q_- \propto r$

$r < r_0$: $E_+/Q_- < 1$



E.Rutherford (1911):

- atomi so iz jedra in elektronov (“planetarni sistem”)



Pospešeni elektroni sevajo:

$\Rightarrow$ elektroni bi popadali v jedro!



$$P \propto -a^2,\ a = \frac{v^2}{r}$$

$$\Rightarrow \boxed{t \cong 1{,}6 \cdot 10^{-11}\, s :} \quad r_B \cong 5.3 \cdot 10^{-11}\, m \rightarrow 10^{-15}\, m$$

$\Downarrow$



- pravilen....... 
- zapleten...... 

$$
\begin{gathered}
\mathcal{L}_{SM} = -\tfrac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \tfrac{1}{4}g_s^2 f^{abc} f^{ade} g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu - \\
M^2 W^+_\mu W^-_\mu - \tfrac{1}{2}\partial_\nu Z^0_\mu \partial_\nu Z^0_\mu - \tfrac{1}{2c_w^2} M^2 Z^0_\mu Z^0_\mu - \tfrac{1}{2}\partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - Z^0_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + Z^0_\mu (W^+_\nu \partial_\nu W^-_\mu - W^-_\nu \partial_\nu W^+_\mu)) - \\
igs_w(\partial_\nu A_\mu (W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + A_\mu (W^+_\nu \partial_\nu W^-_\mu - \\
W^-_\nu \partial_\nu W^+_\mu)) - \tfrac{1}{2}g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \tfrac{1}{2}g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2 c_w^2 (Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu - \\
Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s_w^2 (A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w (A_\mu Z^0_\nu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - 2A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \tfrac{1}{2}\partial_\mu H \partial_\mu H - 2M^2 \alpha_h H^2 - \partial_\mu \phi^+ \partial_\mu \phi^- - \tfrac{1}{2}\partial_\mu \phi^0 \partial_\mu \phi^0 - \\
\beta_h \left(\tfrac{2M^2}{g^2} + \tfrac{2M}{g}H + \tfrac{1}{2}(H^2 + \phi^0\phi^0 + 2\phi^+\phi^-)\right) + \tfrac{2M^4}{g^2}\alpha_h - \\
g\alpha_h M \left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) - \\
\tfrac{1}{8}g^2\alpha_h \left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2 H^2\right) - \\
gMW^+_\mu W^-_\mu H - \tfrac{1}{2}g\tfrac{M}{c_w^2} Z^0_\mu Z^0_\mu H - \\
\tfrac{1}{2}ig\left(W^+_\mu(\phi^0\partial_\mu\phi^- - \phi^-\partial_\mu\phi^0) - W^-_\mu(\phi^0\partial_\mu\phi^+ - \phi^+\partial_\mu\phi^0)\right) + \\
\tfrac{1}{2}g\left(W^+_\mu(H\partial_\mu\phi^- - \phi^-\partial_\mu H) + W^-_\mu(H\partial_\mu\phi^+ - \phi^+\partial_\mu H)\right) + \tfrac{1}{2}g\tfrac{1}{c_w}(Z^0_\mu(H\partial_\mu\phi^0 - \phi^0\partial_\mu H) + \\
M\left(\tfrac{1}{c_w}Z^0_\mu\partial_\mu\phi^0 + W^+_\mu\partial_\mu\phi^- + W^-_\mu\partial_\mu\phi^+\right) - ig\tfrac{s_w^2}{c_w}MZ^0_\mu(W^+_\mu\phi^- - W^-_\mu\phi^+) + igs_w MA_\mu(W^+_\mu\phi^- - \\
W^-_\mu\phi^+) - ig\tfrac{1-2c_w^2}{2c_w}Z^0_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) + igs_w A_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) - \\
\tfrac{1}{4}g^2 W^+_\mu W^-_\mu \left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \tfrac{1}{8}g^2\tfrac{1}{c_w^2}Z^0_\mu Z^0_\mu \left(H^2 + (\phi^0)^2 + 2(2s_w^2 - 1)^2\phi^+\phi^-\right) - \\
\tfrac{1}{2}g^2\tfrac{s_w^2}{c_w}Z^0_\mu\phi^0(W^+_\mu\phi^- + W^-_\mu\phi^+) - \tfrac{1}{2}ig^2\tfrac{s_w^2}{c_w}Z^0_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) + \tfrac{1}{2}g^2 s_w A_\mu\phi^0(W^+_\mu\phi^- + \\
W^-_\mu\phi^+) + \tfrac{1}{2}ig^2 s_w A_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) - g^2\tfrac{s_w}{c_w}(2c_w^2 - 1)Z^0_\mu A_\mu\phi^+\phi^- - \\
g^2 s_w^2 A_\mu A_\mu\phi^+\phi^- + \tfrac{1}{2}ig_s\lambda^a_{ij}(\bar{q}^\sigma_i\gamma^\mu q^\sigma_j)g^a_\mu - \bar{e}^\lambda(\gamma\partial + m^\lambda_e)e^\lambda - \bar{\nu}^\lambda(\gamma\partial + m^\lambda_\nu)\nu^\lambda - \bar{u}^\lambda_j(\gamma\partial + \\
m^\lambda_u)u^\lambda_j - \bar{d}^\lambda_j(\gamma\partial + m^\lambda_d)d^\lambda_j + igs_w A_\mu\left(-(\bar{e}^\lambda\gamma^\mu e^\lambda) + \tfrac{2}{3}(\bar{u}^\lambda_j\gamma^\mu u^\lambda_j) - \tfrac{1}{3}(\bar{d}^\lambda_j\gamma^\mu d^\lambda_j)\right) + \\
\tfrac{ig}{4c_w}Z^0_\mu\{(\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{e}^\lambda\gamma^\mu(4s_w^2 - 1 - \gamma^5)e^\lambda) + (\bar{d}^\lambda_j\gamma^\mu(\tfrac{4}{3}s_w^2 - 1 - \gamma^5)d^\lambda_j) + \\
(\bar{u}^\lambda_j\gamma^\mu(1 - \tfrac{8}{3}s_w^2 + \gamma^5)u^\lambda_j)\} + \tfrac{ig}{2\sqrt{2}}W^+_\mu\left((\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5){U^{lep}}_{\lambda\kappa}e^\kappa) + (\bar{u}^\lambda_j\gamma^\mu(1+\gamma^5)C_{\lambda\kappa}d^\kappa_j)\right) + \\
\tfrac{ig}{2\sqrt{2}}W^-_\mu\left((\bar{e}^\kappa {U^{lep}}^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{d}^\kappa_j C^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)u^\lambda_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m^\kappa_e(\bar{\nu}^\lambda {U^{lep}}_{\lambda\kappa}(1-\gamma^5)e^\kappa) + m^\lambda_\nu(\bar{\nu}^\lambda {U^{lep}}_{\lambda\kappa}(1+\gamma^5)e^\kappa)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m^\lambda_e(\bar{e}^\lambda {U^{lep}}^\dagger_{\lambda\kappa}(1+\gamma^5)\nu^\kappa) - m^\kappa_\nu(\bar{e}^\lambda {U^{lep}}^\dagger_{\lambda\kappa}(1-\gamma^5)\nu^\kappa)\right) - \tfrac{g}{2}\tfrac{m^\lambda_\nu}{M}H(\bar{\nu}^\lambda\nu^\lambda) - \\
\tfrac{g}{2}\tfrac{m^\lambda_e}{M}H(\bar{e}^\lambda e^\lambda) + \tfrac{ig}{2}\tfrac{m^\lambda_\nu}{M}\phi^0(\bar{\nu}^\lambda\gamma^5\nu^\lambda) - \tfrac{ig}{2}\tfrac{m^\lambda_e}{M}\phi^0(\bar{e}^\lambda\gamma^5 e^\lambda) - \tfrac{1}{4}\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa - \\
\tfrac{1}{4}\overline{\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa} + \tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m^\kappa_d(\bar{u}^\lambda_j C_{\lambda\kappa}(1-\gamma^5)d^\kappa_j) + m^\lambda_u(\bar{u}^\lambda_j C_{\lambda\kappa}(1+\gamma^5)d^\kappa_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m^\lambda_d(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1+\gamma^5)u^\kappa_j) - m^\kappa_u(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1-\gamma^5)u^\kappa_j)\right) - \tfrac{g}{2}\tfrac{m^\lambda_u}{M}H(\bar{u}^\lambda_j u^\lambda_j) - \\
\tfrac{g}{2}\tfrac{m^\lambda_d}{M}H(\bar{d}^\lambda_j d^\lambda_j) + \tfrac{ig}{2}\tfrac{m^\lambda_u}{M}\phi^0(\bar{u}^\lambda_j\gamma^5 u^\lambda_j) - \tfrac{ig}{2}\tfrac{m^\lambda_d}{M}\phi^0(\bar{d}^\lambda_j\gamma^5 d^\lambda_j) + \bar{G}^a\partial^2 G^a + g_s f^{abc}\partial_\mu\bar{G}^a G^b g^c_\mu + \\
\bar{X}^+(\partial^2 - M^2)X^+ + \bar{X}^-(\partial^2 - M^2)X^- + \bar{X}^0(\partial^2 - \tfrac{M^2}{c_w^2})X^0 + \bar{Y}\partial^2 Y + igc_w W^+_\mu(\partial_\mu\bar{X}^0 X^- - \\
\partial_\mu\bar{X}^+ X^0) + igs_w W^+_\mu(\partial_\mu\bar{Y}X^- - \partial_\mu\bar{X}^+ Y) + igc_w W^-_\mu(\partial_\mu\bar{X}^- X^0 - \\
\partial_\mu\bar{X}^0 X^+) + igs_w W^-_\mu(\partial_\mu\bar{X}^- Y - \partial_\mu\bar{Y}X^+) + igc_w Z^0_\mu(\partial_\mu\bar{X}^+ X^+ - \\
\partial_\mu\bar{X}^- X^-) + igs_w A_\mu(\partial_\mu\bar{X}^+ X^+ - \\
\partial_\mu\bar{X}^- X^-) - \tfrac{1}{2}gM\left(\bar{X}^+ X^+ H + \bar{X}^- X^- H + \tfrac{1}{c_w^2}\bar{X}^0 X^0 H\right) + \tfrac{1-2c_w^2}{2c_w}igM\left(\bar{X}^+ X^0\phi^+ - \bar{X}^- X^0\phi^-\right) + \\
\tfrac{1}{2c_w}igM\left(\bar{X}^0 X^-\phi^+ - \bar{X}^0 X^+\phi^-\right) + igMs_w\left(\bar{X}^0 X^-\phi^+ - \bar{X}^0 X^+\phi^-\right) + \\
\tfrac{1}{2}igM\left(\bar{X}^+ X^+\phi^0 - \bar{X}^- X^-\phi^0\right).
\end{gathered}
$$

- pravilen....... 
- zapleten...... 



$$
\begin{gathered}
\mathcal{L}_{SM} = -\tfrac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \tfrac{1}{4}g_s^2 f^{abc} f^{ade} g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu - \\
M^2 W^+_\mu W^-_\mu - \tfrac{1}{2}\partial_\nu Z^0_\mu \partial_\nu Z^0_\mu - \tfrac{1}{2c_w^2} M^2 Z^0_\mu Z^0_\mu - \tfrac{1}{2}\partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - Z^0_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + Z^0_\mu (W^+_\nu \partial_\nu W^-_\mu - W^-_\nu \partial_\nu W^+_\mu)) - \\
igs_w(\partial_\nu A_\mu (W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + A_\mu (W^+_\nu \partial_\nu W^-_\mu - \\
W^-_\nu \partial_\nu W^+_\mu)) - \tfrac{1}{2}g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \tfrac{1}{2}g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2 c_w^2 (Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu - \\
Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s_w^2 (A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w (A_\mu Z^0_\nu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - 2A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \tfrac{1}{2}\partial_\mu H \partial_\mu H - 2M^2 \alpha_h H^2 - \partial_\mu \phi^+ \partial_\mu \phi^- - \tfrac{1}{2}\partial_\mu \phi^0 \partial_\mu \phi^0 - \\
\beta_h \left(\tfrac{2M^2}{g^2} + \tfrac{2M}{g} H + \tfrac{1}{2}(H^2 + \phi^0\phi^0 + 2\phi^+\phi^-)\right) + \tfrac{2M^4}{g^2}\alpha_h - \\
g\alpha_h M \left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) - \\
\tfrac{1}{8}g^2 \alpha_h \left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2 H^2\right) - \\
gMW^+_\mu W^-_\mu H - \tfrac{1}{2}g\tfrac{M}{c_w^2} Z^0_\mu Z^0_\mu H - \\
\tfrac{1}{2}ig\left(W^+_\mu(\phi^0\partial_\mu\phi^- - \phi^-\partial_\mu\phi^0) - W^-_\mu(\phi^0\partial_\mu\phi^+ - \phi^+\partial_\mu\phi^0)\right) + \\
\tfrac{1}{2}g\left(W^+_\mu(H\partial_\mu\phi^- - \phi^-\partial_\mu H) + W^-_\mu(H\partial_\mu\phi^+ - \phi^+\partial_\mu H)\right) + \tfrac{1}{2}g\tfrac{1}{c_w}(Z^0_\mu(H\partial_\mu\phi^0 - \phi^0\partial_\mu H) + \\
M\left(\tfrac{1}{c_w}Z^0_\mu\partial_\mu\phi^0 + W^+_\mu\partial_\mu\phi^- + W^-_\mu\partial_\mu\phi^+\right) - ig\tfrac{s_w^2}{c_w}MZ^0_\mu(W^+_\mu\phi^- - W^-_\mu\phi^+) + igs_w MA_\mu(W^+_\mu\phi^- - \\
W^-_\mu\phi^+) - ig\tfrac{1-2c_w^2}{2c_w}Z^0_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) + igs_w A_\mu(\phi^+\partial_\mu\phi^- - \phi^-\partial_\mu\phi^+) - \\
\tfrac{1}{4}g^2 W^+_\mu W^-_\mu\left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \tfrac{1}{8}g^2\tfrac{1}{c_w^2}Z^0_\mu Z^0_\mu\left(H^2 + (\phi^0)^2 + 2(2s_w^2 - 1)^2\phi^+\phi^-\right) - \\
\tfrac{1}{2}g^2\tfrac{s_w^2}{c_w}Z^0_\mu\phi^0(W^+_\mu\phi^- + W^-_\mu\phi^+) - \tfrac{1}{2}ig^2\tfrac{s_w^2}{c_w}Z^0_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) + \tfrac{1}{2}g^2 s_w A_\mu\phi^0(W^+_\mu\phi^- + \\
W^-_\mu\phi^+) + \tfrac{1}{2}ig^2 s_w A_\mu H(W^+_\mu\phi^- - W^-_\mu\phi^+) - g^2\tfrac{s_w}{c_w}(2c_w^2 - 1)Z^0_\mu A_\mu\phi^+\phi^- - \\
g^2 s_w^2 A_\mu A_\mu\phi^+\phi^- + \tfrac{1}{2}ig_s\lambda^a_{ij}(\bar{q}^\sigma_i\gamma^\mu q^\sigma_j)g^a_\mu - \bar{e}^\lambda(\gamma\partial + m^\lambda_e)e^\lambda - \bar{\nu}^\lambda(\gamma\partial + m^\lambda_\nu)\nu^\lambda - \bar{u}^\lambda_j(\gamma\partial + \\
m^\lambda_u)u^\lambda_j - \bar{d}^\lambda_j(\gamma\partial + m^\lambda_d)d^\lambda_j + igs_w A_\mu\left(-(\bar{e}^\lambda\gamma^\mu e^\lambda) + \tfrac{2}{3}(\bar{u}^\lambda_j\gamma^\mu u^\lambda_j) - \tfrac{1}{3}(\bar{d}^\lambda_j\gamma^\mu d^\lambda_j)\right) + \\
\tfrac{ig}{4c_w}Z^0_\mu\{(\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{e}^\lambda\gamma^\mu(4s_w^2 - 1 - \gamma^5)e^\lambda) + (\bar{d}^\lambda_j\gamma^\mu(\tfrac{4}{3}s_w^2 - 1 - \gamma^5)d^\lambda_j) + \\
(\bar{u}^\lambda_j\gamma^\mu(1 - \tfrac{8}{3}s_w^2 + \gamma^5)u^\lambda_j)\} + \tfrac{ig}{2\sqrt{2}}W^+_\mu\left((\bar{\nu}^\lambda\gamma^\mu(1+\gamma^5)U^{lep}{}_{\lambda\kappa}e^\kappa) + (\bar{u}^\lambda_j\gamma^\mu(1+\gamma^5)C_{\lambda\kappa}d^\kappa_j)\right) + \\
\tfrac{ig}{2\sqrt{2}}W^-_\mu\left((\bar{e}^\kappa U^{lep\dagger}{}_{\kappa\lambda}\gamma^\mu(1+\gamma^5)\nu^\lambda) + (\bar{d}^\kappa_j C^\dagger_{\kappa\lambda}\gamma^\mu(1+\gamma^5)u^\lambda_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m^\kappa_e(\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa}(1-\gamma^5)e^\kappa) + m^\lambda_\nu(\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa}(1+\gamma^5)e^\kappa)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m^\lambda_e(\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1+\gamma^5)\nu^\kappa) - m^\kappa_\nu(\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa}(1-\gamma^5)\nu^\kappa)\right) - \tfrac{g}{2}\tfrac{m^\lambda_\nu}{M}H(\bar{\nu}^\lambda\nu^\lambda) - \\
\tfrac{g}{2}\tfrac{m^\lambda_e}{M}H(\bar{e}^\lambda e^\lambda) + \tfrac{ig}{2}\tfrac{m^\lambda_\nu}{M}\phi^0(\bar{\nu}^\lambda\gamma^5\nu^\lambda) - \tfrac{ig}{2}\tfrac{m^\lambda_e}{M}\phi^0(\bar{e}^\lambda\gamma^5 e^\lambda) - \tfrac{1}{4}\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa - \\
\tfrac{1}{4}\bar{\nu}_\lambda M^R_{\lambda\kappa}(1-\gamma_5)\hat{\nu}_\kappa + \tfrac{ig}{2M\sqrt{2}}\phi^+\left(-m^\kappa_d(\bar{u}^\lambda_j C_{\lambda\kappa}(1-\gamma^5)d^\kappa_j) + m^\lambda_u(\bar{u}^\lambda_j C_{\lambda\kappa}(1+\gamma^5)d^\kappa_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}}\phi^-\left(m^\lambda_d(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1+\gamma^5)u^\kappa_j) - m^\kappa_u(\bar{d}^\lambda_j C^\dagger_{\lambda\kappa}(1-\gamma^5)u^\kappa_j)\right) - \tfrac{g}{2}\tfrac{m^\lambda_u}{M}H(\bar{u}^\lambda_j u^\lambda_j) - \\
\tfrac{g}{2}\tfrac{m^\lambda_d}{M}H(\bar{d}^\lambda_j d^\lambda_j) + \tfrac{ig}{2}\tfrac{m^\lambda_u}{M}\phi^0(\bar{u}^\lambda_j\gamma^5 u^\lambda_j) - \tfrac{ig}{2}\tfrac{m^\lambda_d}{M}\phi^0(\bar{d}^\lambda_j\gamma^5 d^\lambda_j) + \bar{G}^a\partial^2 G^a + g_s f^{abc}\partial_\mu\bar{G}^a G^b g^c_\mu + \\
\bar{X}^+(\partial^2 - M^2)X^+ + \bar{X}^-(\partial^2 - M^2)X^- + \bar{X}^0(\partial^2 - \tfrac{M^2}{c_w^2})X^0 + \bar{Y}\partial^2 Y + igc_w W^+_\mu(\partial_\mu\bar{X}^0 X^- - \\
\partial_\mu\bar{X}^+ X^0) + igs_w W^+_\mu(\partial_\mu\bar{Y}X^- - \partial_\mu\bar{X}^+ Y) + igc_w W^-_\mu(\partial_\mu\bar{X}^- X^0 - \\
\partial_\mu\bar{X}^0 X^+) + igs_w W^-_\mu(\partial_\mu\bar{X}^- Y - \partial_\mu\bar{Y}X^+) + igc_w Z^0_\mu(\partial_\mu\bar{X}^+ X^+ - \\
\partial_\mu\bar{X}^- X^-) + igs_w A_\mu(\partial_\mu\bar{X}^+ X^+ - \\
\partial_\mu\bar{X}^- X^-) - \tfrac{1}{2}gM\left(\bar{X}^+ X^+ H + \bar{X}^- X^- H + \tfrac{1}{c_w^2}\bar{X}^0 X^0 H\right) + \tfrac{1-2c_w^2}{2c_w}igM\left(\bar{X}^+ X^0\phi^+ - \bar{X}^- X^0\phi^-\right) + \\
\tfrac{1}{2c_w}igM\left(\bar{X}^0 X^-\phi^+ - \bar{X}^0 X^+\phi^-\right) + igMs_w\left(\bar{X}^0 X^-\phi^+ - \bar{X}^0 X^+\phi^-\right) + \\
\tfrac{1}{2}igM\left(\bar{X}^+ X^+\phi^0 - \bar{X}^- X^-\phi^0\right).
\end{gathered}
$$

- pravilen....... 
- zapleten...... 



$\Rightarrow$ prispodobe namesto enačb

$$
\begin{gathered}
\mathcal{L}_{SM} = -\tfrac{1}{2}\partial_\nu g^a_\mu \partial_\nu g^a_\mu - g_s f^{abc}\partial_\mu g^a_\nu g^b_\mu g^c_\nu - \tfrac{1}{4} g^2_s f^{abc} f^{ade} g^b_\mu g^c_\nu g^d_\mu g^e_\nu - \partial_\nu W^+_\mu \partial_\nu W^-_\mu - \\
M^2 W^+_\mu W^-_\mu - \tfrac{1}{2}\partial_\nu Z^0_\mu \partial_\nu Z^0_\mu - \tfrac{1}{2c^2_w} M^2 Z^0_\mu Z^0_\mu - \tfrac{1}{2}\partial_\mu A_\nu \partial_\mu A_\nu - igc_w(\partial_\nu Z^0_\mu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - Z^0_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + Z^0_\mu (W^+_\nu \partial_\nu W^-_\mu - W^-_\nu \partial_\nu W^+_\mu)) - \\
igs_w(\partial_\nu A_\mu (W^+_\mu W^-_\nu - W^+_\nu W^-_\mu) - A_\nu (W^+_\mu \partial_\nu W^-_\mu - W^-_\mu \partial_\nu W^+_\mu) + A_\mu (W^+_\nu \partial_\nu W^-_\mu - \\
W^-_\nu \partial_\nu W^+_\mu)) - \tfrac{1}{2} g^2 W^+_\mu W^-_\mu W^+_\nu W^-_\nu + \tfrac{1}{2} g^2 W^+_\mu W^-_\nu W^+_\mu W^-_\nu + g^2 c^2_w (Z^0_\mu W^+_\mu Z^0_\nu W^-_\nu - \\
Z^0_\mu Z^0_\mu W^+_\nu W^-_\nu) + g^2 s^2_w (A_\mu W^+_\mu A_\nu W^-_\nu - A_\mu A_\mu W^+_\nu W^-_\nu) + g^2 s_w c_w (A_\mu Z^0_\nu (W^+_\mu W^-_\nu - \\
W^+_\nu W^-_\mu) - 2 A_\mu Z^0_\mu W^+_\nu W^-_\nu) - \tfrac{1}{2}\partial_\mu H \partial_\mu H - 2M^2 \alpha_h H^2 - \partial_\mu \phi^+ \partial_\mu \phi^- - \tfrac{1}{2}\partial_\mu \phi^0 \partial_\mu \phi^0 - \\
\beta_h \left(\tfrac{2M^2}{g^2} + \tfrac{2M}{g} H + \tfrac{1}{2}(H^2 + \phi^0\phi^0 + 2\phi^+\phi^-)\right) + \tfrac{2M^4}{g^2}\alpha_h - \\
g\alpha_h M \left(H^3 + H\phi^0\phi^0 + 2H\phi^+\phi^-\right) - \\
\tfrac{1}{8} g^2 \alpha_h \left(H^4 + (\phi^0)^4 + 4(\phi^+\phi^-)^2 + 4(\phi^0)^2\phi^+\phi^- + 4H^2\phi^+\phi^- + 2(\phi^0)^2 H^2\right) - \\
gMW^+_\mu W^-_\mu H - \tfrac{1}{2} g \tfrac{M}{c^2_w} Z^0_\mu Z^0_\mu H - \\
\tfrac{1}{2} ig \left(W^+_\mu (\phi^0 \partial_\mu \phi^- - \phi^- \partial_\mu \phi^0) - W^-_\mu (\phi^0 \partial_\mu \phi^+ - \phi^+ \partial_\mu \phi^0)\right) + \\
\tfrac{1}{2} g \left(W^+_\mu (H\partial_\mu \phi^- - \phi^- \partial_\mu H) + W^-_\mu (H\partial_\mu \phi^+ - \phi^+ \partial_\mu H)\right) + \tfrac{1}{2} g \tfrac{1}{c_w} (Z^0_\mu (H\partial_\mu \phi^0 - \phi^0 \partial_\mu H) + \\
M \left(\tfrac{1}{c_w} Z^0_\mu \partial_\mu \phi^0 + W^+_\mu \partial_\mu \phi^- + W^-_\mu \partial_\mu \phi^+\right) - ig \tfrac{s^2_w}{c_w} M Z^0_\mu (W^+_\mu \phi^- - W^-_\mu \phi^+) + igs_w M A_\mu (W^+_\mu \phi^- - \\
W^-_\mu \phi^+) - ig \tfrac{1-2c^2_w}{2c_w} Z^0_\mu (\phi^+ \partial_\mu \phi^- - \phi^- \partial_\mu \phi^+) + igs_w A_\mu (\phi^+ \partial_\mu \phi^- - \phi^- \partial_\mu \phi^+) - \\
\tfrac{1}{4} g^2 W^+_\mu W^-_\mu \left(H^2 + (\phi^0)^2 + 2\phi^+\phi^-\right) - \tfrac{1}{8} g^2 \tfrac{1}{c^2_w} Z^0_\mu Z^0_\mu \left(H^2 + (\phi^0)^2 + 2(2s^2_w - 1)^2 \phi^+\phi^-\right) - \\
\tfrac{1}{2} g^2 \tfrac{s^2_w}{c_w} Z^0_\mu \phi^0 (W^+_\mu \phi^- + W^-_\mu \phi^+) - \tfrac{1}{2} ig^2 \tfrac{s^2_w}{c_w} Z^0_\mu H (W^+_\mu \phi^- - W^-_\mu \phi^+) + \tfrac{1}{2} g^2 s_w A_\mu \phi^0 (W^+_\mu \phi^- + \\
W^-_\mu \phi^+) + \tfrac{1}{2} ig^2 s_w A_\mu H (W^+_\mu \phi^- - W^-_\mu \phi^+) - g^2 \tfrac{s_w}{c_w} (2c^2_w - 1) Z^0_\mu A_\mu \phi^+ \phi^- - \\
g^2 s^2_w A_\mu A_\mu \phi^+ \phi^- + \tfrac{1}{2} ig_s \lambda^a_{ij} (\bar{q}^\sigma_i \gamma^\mu q^\sigma_j) g^a_\mu - \bar{e}^\lambda (\gamma\partial + m^\lambda_e) e^\lambda - \bar{\nu}^\lambda (\gamma\partial + m^\lambda_\nu) \nu^\lambda - \bar{u}^\lambda_j (\gamma\partial + \\
m^\lambda_u) u^\lambda_j - \bar{d}^\lambda_j (\gamma\partial + m^\lambda_d) d^\lambda_j + igs_w A_\mu \left(-(\bar{e}^\lambda \gamma^\mu e^\lambda) + \tfrac{2}{3}(\bar{u}^\lambda_j \gamma^\mu u^\lambda_j) - \tfrac{1}{3}(\bar{d}^\lambda_j \gamma^\mu d^\lambda_j)\right) + \\
\tfrac{ig}{4c_w} Z^0_\mu \{(\bar{\nu}^\lambda \gamma^\mu (1+\gamma^5) \nu^\lambda) + (\bar{e}^\lambda \gamma^\mu (4s^2_w - 1 - \gamma^5) e^\lambda) + (\bar{d}^\lambda_j \gamma^\mu (\tfrac{4}{3} s^2_w - 1 - \gamma^5) d^\lambda_j) + \\
(\bar{u}^\lambda_j \gamma^\mu (1 - \tfrac{8}{3} s^2_w + \gamma^5) u^\lambda_j)\} + \tfrac{ig}{2\sqrt{2}} W^+_\mu \left((\bar{\nu}^\lambda \gamma^\mu (1+\gamma^5) U^{lep}{}_{\lambda\kappa} e^\kappa) + (\bar{u}^\lambda_j \gamma^\mu (1+\gamma^5) C_{\lambda\kappa} d^\kappa_j)\right) + \\
\tfrac{ig}{2\sqrt{2}} W^-_\mu \left((\bar{e}^\kappa U^{lep\dagger}{}_{\kappa\lambda} \gamma^\mu (1+\gamma^5) \nu^\lambda) + (\bar{d}^\kappa_j C^\dagger_{\kappa\lambda} \gamma^\mu (1+\gamma^5) u^\lambda_j)\right) + \\
\tfrac{ig}{2M\sqrt{2}} \phi^+ \left(-m^\kappa_e (\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa} (1-\gamma^5) e^\kappa) + m^\lambda_\nu (\bar{\nu}^\lambda U^{lep}{}_{\lambda\kappa} (1+\gamma^5) e^\kappa\right) + \\
\tfrac{ig}{2M\sqrt{2}} \phi^- \left(m^\lambda_e (\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa} (1+\gamma^5) \nu^\kappa) - m^\kappa_\nu (\bar{e}^\lambda U^{lep\dagger}{}_{\lambda\kappa} (1-\gamma^5) \nu^\kappa\right) - \tfrac{g}{2} \tfrac{m^\lambda_\nu}{M} H (\bar{\nu}^\lambda \nu^\lambda) - \\
\tfrac{g}{2} \tfrac{m^\lambda_e}{M} H (\bar{e}^\lambda e^\lambda) + \tfrac{ig}{2} \tfrac{m^\lambda_\nu}{M} \phi^0 (\bar{\nu}^\lambda \gamma^5 \nu^\lambda) - \tfrac{ig}{2} \tfrac{m^\lambda_e}{M} \phi^0 (\bar{e}^\lambda \gamma^5 e^\lambda) - \tfrac{1}{4} \bar{\nu}_\lambda M^R_{\lambda\kappa} (1-\gamma_5) \hat{\nu}_\kappa - \\
\tfrac{1}{4} \bar{\nu}_\lambda M^R_{\lambda\kappa} (1-\gamma_5) \hat{\nu}_\kappa + \tfrac{ig}{2M\sqrt{2}} \phi^+ \left(-m^\kappa_d (\bar{u}^\lambda_j C_{\lambda\kappa} (1-\gamma^5) d^\kappa_j) + m^\lambda_u (\bar{u}^\lambda_j C_{\lambda\kappa} (1+\gamma^5) d^\kappa_j\right) + \\
\tfrac{ig}{2M\sqrt{2}} \phi^- \left(m^\lambda_d (\bar{d}^\lambda_j C^\dagger_{\lambda\kappa} (1+\gamma^5) u^\kappa_j) - m^\kappa_u (\bar{d}^\lambda_j C^\dagger_{\lambda\kappa} (1-\gamma^5) u^\kappa_j\right) - \tfrac{g}{2} \tfrac{m^\lambda_u}{M} H (\bar{u}^\lambda_j u^\lambda_j) - \\
\tfrac{g}{2} \tfrac{m^\lambda_d}{M} H (\bar{d}^\lambda_j d^\lambda_j) + \tfrac{ig}{2} \tfrac{m^\lambda_u}{M} \phi^0 (\bar{u}^\lambda_j \gamma^5 u^\lambda_j) - \tfrac{ig}{2} \tfrac{m^\lambda_d}{M} \phi^0 (\bar{d}^\lambda_j \gamma^5 d^\lambda_j) + \bar{G}^a \partial^2 G^a + g_s f^{abc} \partial_\mu \bar{G}^a G^b g^c_\mu + \\
\bar{X}^+ (\partial^2 - M^2) X^+ + \bar{X}^- (\partial^2 - M^2) X^- + \bar{X}^0 (\partial^2 - \tfrac{M^2}{c^2_w}) X^0 + \bar{Y} \partial^2 Y + igc_w W^+_\mu (\partial_\mu \bar{X}^0 X^- - \\
\partial_\mu \bar{X}^+ X^0) + igs_w W^+_\mu (\partial_\mu \bar{Y} X^- - \partial_\mu \bar{X}^+ Y) + igc_w W^-_\mu (\partial_\mu \bar{X}^- X^0 - \\
\partial_\mu \bar{X}^0 X^+) + igs_w W^-_\mu (\partial_\mu \bar{X}^- Y - \partial_\mu \bar{Y} X^+) + igc_w Z^0_\mu (\partial_\mu \bar{X}^+ X^+ - \\
\partial_\mu \bar{X}^- X^-) + igs_w A_\mu (\partial_\mu \bar{X}^+ X^+ - \\
\partial_\mu \bar{X}^- X^-) - \tfrac{1}{2} gM \left(\bar{X}^+ X^+ H + \bar{X}^- X^- H + \tfrac{1}{c^2_w} \bar{X}^0 X^0 H\right) + \tfrac{1-2c^2_w}{2c_w} igM \left(\bar{X}^+ X^0 \phi^+ - \bar{X}^- X^0 \phi^-\right) + \\
\tfrac{1}{2c_w} igM \left(\bar{X}^0 X^- \phi^+ - \bar{X}^0 X^+ \phi^-\right) + igMs_w \left(\bar{X}^0 X^- \phi^+ - \bar{X}^0 X^+ \phi^-\right) + \\
\tfrac{1}{2} igM \left(\bar{X}^+ X^+ \phi^0 - \bar{X}^- X^- \phi^0\right) .
\end{gathered}
$$

Demokrit: svet je iz atomov

Mendeljejev:



Mendeljejev:

- pravilen ...... 



Mendeljejev:

- pravilen ...... 
- vzorec .... 



Mendeljejev:

- pravilen ...... 
- vzorec .... 



Ali so atomi res osnovni gradniki?

J.J.Thomson (1897): odkritje elektrona (N.n. 1906)



J.J.Thomson (1897): odkritje elektrona (N.n. 1906)



⇒ puding z rozinami:



Rutherford, Geiger, Marsden

E.Rutherford (1911):

- atomi so iz jedra in elektronskega oblaka
- jedro: < 0,000.000.000.000.1 prostornine atoma



(a) (b)

E.Rutherford (1911):

- atomi so iz jedra in elektronskega oblaka
- jedro: < 0,000.000.000.000.1 prostornine atoma





J. Chadwick:

- odkritje nevtrona (N.n. 1935)
- jedra sestavljena
- močna sila med nukleoni

Oktet barionov (J=1/2):



“Periodni sistemi”, podobno kot



Ali so barioni in mezoni res osnovni gradniki?

M. Gell-Mann: barioni in mezoni so iz kvarkov (N.n. 1969)

u: $q = +2/3\ q_0$

d: $q = -1/3\ q_0$

s: $q = -1/3\ q_0$



Nonet barionov (J=3/2):



Dekuplet

~~Nonet~~ barionov (J=3/2):



Dekuplet

~~Nonet~~ barionov (J=3/2):





Dekuplet

~~Nonet~~ barionov (J=3/2):





- mehurčna celica
- **D. Glaser** (N.n. 1960)

Rutherfordov eksperiment



Stanford, Kalifornija:

Taylor, Kendall, Friedman (N.n. 1990)

SM:



Osnovni gradniki:

- kvarki,
- nabiti leptoni,

SM:

$+\frac{2}{3}q_0$ u

$-\frac{1}{3}q_0$ d s

$-q_0$ e

Osnovni gradniki:

- kvarki,
- nabiti leptoni,
- antidelci,

- **P. Dirac**
  (N.n. 1933)

- **P. Dirac** (N.n. 1933)

- **C. Anderson** (N.n. 1936)



- meglična celica
- **C. Wilson** (N.n. 1927)

SM:

$+\frac{2}{3}q_0$	u	
$-\frac{1}{3}q_0$	d	s
$-q_0$	e	

Osnovni gradniki:

- kvarki,
- nabiti leptoni,
- antidelci,

SM:

	I	II	III
$+\frac{2}{3}q_0$	u	c	t
$-\frac{1}{3}q_0$	d	s	b
$-q_0$	e	μ	τ

Osnovni gradniki:

- kvarki,
- nabiti leptoni,
- antidelci,



Υ B^0 $\bar{B}^0$

SM:

	I	II	III
$+\frac{2}{3}q_0$	u	c	t
$-\frac{1}{3}q_0$	d	s	b
0	ν_e	ν_μ	ν_τ
$-q_0$	e	μ	τ

Osnovni gradniki:

- kvarki,
- nabiti leptoni,
- antidelci,
- nevtralni leptoni (nevtrini).

SM:

$+\frac{2}{3}q_0$	u	c	t
$-\frac{1}{3}q_0$	d	s	b
0	ν_e	ν_μ	ν_τ
$-q_0$	e	μ	τ
	I	II	III

Osnovni gradniki:

- kvarki,
- nabiti leptoni,
- antidelci,
- nevtralni leptoni (nevtrini).

Periodni sistem (!?)

Sile (interakcije) med osnovnimi gradniki:

- EM, močna, šibka (,gravitacija)
- delovanje sile = izmenjava nosilcev sile

Nosilci osnovnih interakcij:

M	0	g
EM	0	γ
Š	$\pm q_0$	$W^{\pm}$
	0	Z^0

$e^- + e^- \longrightarrow e^- + e^-$ (Feynmanov diagram)



Trkalniki:





Dve (komplementarni) paradigmi:

a) velika energija E za tvorbo novih (težjih) delcev:

$$m = E / c_0^2$$

b) veliko število trkov in natančna meritev produktov:

- iskanje redkih procesov
- natančne meritve lastnosti procesov


Mt. Tsukuba
BELLE II
~ 1 km
KEKB Ring
~ 1.5 km
Damping
Ring
Linac
KEK Tsukuba
Campus

$$e^- + e^+ \rightarrow \Upsilon(4S) \rightarrow B^0 + \bar{B}^0$$



$$E = E_{e^-} + E_{e^+} = m_{\Upsilon(4S)} c_0^2$$

$$m_{\Upsilon(4S)} \approx 11.6\ m_H$$

$$m_{B^0}, m_{\overline{B}^0} \approx \frac{m_{\Upsilon(4S)}}{2}$$


高所作業中



Belle II



- večžični detektor sledi
- **G. Charpak** (N.n. 1992)



Invariantna masa:

$$\vec{F}_{mag} = q\vec{v} \times \vec{B}$$

$$E_1 \propto r_1$$

$$E_2 \propto r_2$$

$$\Rightarrow m \approx \frac{1}{c_0^2}\sqrt{E_1^2 + E_2^2 + 2E_1E_2\cos\theta}$$



μ^+
B^0
e^+
e^-
$\overline{B}^0$
μ^-



μ^+
B^0
e^+
e^-
$\overline{B}^0$
$\overline{B}^0 \rightarrow B^0$:
B^0
μ^+

ARGUS (1987):


$B^0 \to D^{*-} \mu^+ \nu$
$\pi^- \bar{D}^0$
$K^+ \pi^-$
μ_1^+
γ
π_2^-
K_1^+
K_2^+
μ^-
γ
π_{1s}^-
π_2^-
μ_2^+
π_1^-
$B^0 \to D^{*-} \mu^+ \nu$
$\pi^0 D^-$
$K^+ \pi^- \pi^-$





$$m_W \approx 95\ m_H$$

$$m_W >> m_{B^0}, m_{\bar{B}^0}$$

$$m_t, m_{\bar{t}} >> m_{B^0}, m_{\bar{B}^0}$$

$$\text{ARGUS (1987): } m_t, m_{\bar{t}} > 53\, m_H$$

$$\text{CDF, D}\varnothing\text{ (1995): } m_t, m_{\bar{t}} \approx 184\, m_H$$

Primer: asimetrija med snovjo in antisnovjo

- ob Velikem poku enako snovi kot antisnovi
- 0,000.000.001 delež snovi preživel
- drugačni zakoni za snov kot antisnov (kršitev simetrij)



KRŠITEV SIMETRIJE CP



Primer: asimetrija med snovjo in antisnovjo

- ob Velikem poku enako snovi kot antisnovi
- 0,000.000.001 delež snovi preživel
- drugačni zakoni za snov kot antisnov (kršitev simetrij)
- opažena kršitev simetrij premajhna, da bi razložila prevlado snovi nad antisnovjo



Standardni model (SM): !?



Primer: obodna hitrost v galaksijah



$$a)\ v = \sqrt{\frac{4\pi\kappa\rho}{3}R}$$

$$b)\ v = \sqrt{\kappa M}\,\frac{1}{\sqrt{R}}$$

Primer: obodna hitrost v galaksijah



$$a)\ v = \sqrt{\frac{4\pi\kappa\rho}{3}R}$$

$$b)\ v = \sqrt{\kappa M}\,\frac{1}{\sqrt{R}}$$

Temna snov: do sedaj še neodkriti osnovni delci?